



Service Usage Report

OZYGEN
DBH Business Centre, Melton Court, Gibson Lane
Melton, Nr Hull, East Yorkshire, HU14 3HH



© Copyright 2014 | ATS Hygiene Innovations Ltd (trading as Ozygen) Registered in England No: 07216896

Client Name
Client Address

Example of a real client report

Service Date **03/05/2017**

Installation Date **11/11/2013**

Previous Service Date **06/02/2017**

	PRE ecocap Usage								Service Data		Post ecocap Installation					
	Valve	Number of Cisterns	Cistern Size (ltrs)	Number of Urinals	Flushes per Hour	Active Days	Flushes per Week	Litres per Week	Days Since Last Service	Flush Log During Period	Flushes per Week	Litres per Week	EcoCap QTY	Ecocap Cost ea. £ per Week	Ecocap £ Tot. Weekly Cost	Water Savings (ltrs) During Period
5 various locations	1498	1	7.00	1	3.00	5	360	2,520	86	272	22.14	155	1	£4.00	£4.00	29,056
	1073	1	12.00	4	6.00	7	1,008	12,096	86	258	21.00	252	4	£4.00	£16.00	145,512
	1485	1	9.00	1	2.00	5	240	2,160	86	258	21.00	189	1	£4.00	£4.00	24,215
	1480	1	9.00	3	20.00	7	3,360	30,240	86	236	19.21	173	3	£4.00	£12.00	369,396
	1492	1	9.00	2	2.00	5	80	720	86	128	10.42	94	2	£4.00	£8.00	7,694
Totals	5			11				47,736		1,152		863	11		£44.00	575,873



Service Usage Report

OZYGEN
DBH Business Centre, Melton Court, Gibson Lane
Melton, Nr Hull, East Yorkshire, HU14 3HH



© Copyright 2014 | ATS Hygiene Innovations Ltd (trading as Ozygen) Registered in England No: 07216896

USAGE <i>per week</i>	PRE ecocap	POST ecocap	Savings Summary			
			Savings Forecast Results using Ecocap	This Period ACTUAL	Savings Since Install	Annual Projection
Total water usage	47,736	863	Water SAVINGS (ltrs)	575,873	8,458,127	2,444,112
Water cost per m3	£3.45	£3.45	CO2 SAVINGS (tonnes)	0.599	8.796	2.542
Total	£164.69	£2.98	Water Cost SAVING	£1,986.76	£29,180.54	£8,432.18
			*ecocap Investment	£539.09	£7,954.72	£2,288.00
			Net SAVING using ecocap	£1,447.67	£21,225.82	£6,144.18

The Annual Projection is based on the data collected on the above service date and as such cannot be guaranteed and should be used for guidance purposes only.

